

**KITTITAS COUNTY  
STATE OF WASHINGTON**

**AGREEMENT TO CONTROL VEGETATION  
ON COUNTY RIGHT-OF-WAY**

**CONTRACT MUST BE SIGNED BY THE LEGAL PROPERTY OWNER/OWNERS**

I, \_\_\_\_\_, hereby agree to adequately control vegetation growing within the Kittitas County road right-of-way, adjoining my property, in lieu of herbicide applications by Kittitas County personnel. Determination of "adequate control" is at the sole discretion of the Kittitas County Public Works and/or the Kittitas County Noxious Weed Control Board personnel and will be specified as follows:

1. No vegetative growth of any kind on the traveled roadway as well as twelve (12) inches beyond the road shoulder, known from this point on as the sterilant zone. (**Initial here if you are allowing sterilant zone applications only**\_\_\_\_\_).
2. No growth within the entire right-of-way of any vegetation named on the Kittitas County Noxious Weed List.
3. No vegetative growth of any kind is to exceed six (6) inches high on all shoulders or ditch slopes beyond the sterilant zone.
4. All vegetation in or around existing drainage ways or ditches shall be controlled to the extent required to allow proper flows.
5. All vegetation shall be controlled to the extent required to assure no sight restrictions, damage to the roadway and adjacent areas, or other safety hazards.

I further agree to use only methods which do not disturb the roadway and adjacent areas, including the traveled roadway, shoulders, ditches, and cut and fill slopes to accomplish the foregoing requirements.

I further agree to post "**OWNER WILL MAINTAIN**" signs and "**END OWNER MAINTAINED**" signs provided to me by Kittitas County at the area described below on a post at a height of four (4) feet and placed four (4) feet from edge of the traveled roadway. Signs must be clearly visible and facing the direction of oncoming traffic. The signs remain the property of Kittitas County.

I further agree to periodically inspect the sign placement for assurance that they are clearly legible and visible. I understand it is my responsibility to replace or repair signs as necessary that do not meet the requirements.

I understand proper sign placement is my sole responsibility and that the County may treat the described areas with herbicide, **without prior notice**, if the signs are not properly in place, readable, and/or clearly visible.

**I further agree that failure on my part to adequately control vegetation as specified above can result in a "Notice of Termination of Agreement" being issued by the County. Such notice of termination will be effective seven (7) days following mailing to the property owner at the address listed below. Following termination the County may implement control by any method it deems appropriate. I also agree that actual current year control costs expended by the County for control required following a notice of termination may be billed to me and I am responsible for payment if the agreement was terminated under the provisions of this paragraph.**

I understand that the county does not guarantee that the area being put into "OWNER WILL MAINTAIN" has not already been previously sprayed under the County vegetation management program.

I agree to all the terms and conditions set forth in this contract. I have been provided and have read and/or had explained to me the current "Kittitas County Noxious Weed List".

This agreement is only valid for the calendar year in which it was signed unless notification of termination, in writing, by either the County or the Owner is issued. This agreement is not transferable.

Mailing Address \_\_\_\_\_

Property Address and Description of OWNER MAINTAINED AREA \_\_\_\_\_

Phone # \_\_\_\_\_ E-mail (optional) \_\_\_\_\_

Signature of Property Owner \_\_\_\_\_ Date \_\_\_\_\_

**EXHIBIT "A"**

USE CROSS ROADS AND YOUR ADDRESS PLATE TO IDENTIFY AREA



NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_ CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PHONE # \_\_\_\_\_

## 2010 KITTITAS COUNTY NOXIOUS WEED LIST

Common Name	Scientific Name	Common Name	Scientific Name
<b>CLASS A NOXIOUS WEEDS</b>		<b>CLASS B NOXIOUS WEEDS</b>	
Bean-caper, Syrian	<i>Zygophyllum fabago</i>	Arrowhead, grass-leaved	<i>Sagittaria graminea</i>
Blueweed, Texas	<i>Helianthus ciliaris</i>	Alyssum, hoary	<i>Bertero aincang</i>
Broom, Spanish	<i>Spartium junceum</i>	Blackgrass	<i>Alopecurus myosuroides</i>
Buffalobur	<i>Solanum rostratum</i>	Bluweed	<i>Echium vulgare</i>
Clary, meadow	<i>Salvia pratensis</i>	Broom, Scotch	<i>Cytisus scoparius</i>
Cordgrass, common	<i>Spartina anglica</i>	Bryony, white	<i>Bryonia alba</i>
Cordgrass, salt meadow	<i>Spartina patens</i>	Bugloss, annual	<i>Anchusa arvensis</i>
Cordgrass, smooth	<i>Spartina alterniflora</i>	Bugloss, common	<i>Anchusa officinalis</i>
Cordgrass, denseflower	<i>Spartina densiflora</i>	Camelthorn	<i>Alhaga maurorum</i>
Crupina, common	<i>Crupina vulgaris</i>	Carrot, wild	<i>Daucus carota</i>
False brome	<i>Brachypodium sylvaticum</i>	Catsear, common	<i>Hypochaeris radicata</i>
Flax, spurge	<i>Thymelaea passerina</i>	Chervil, wild	<i>Anthriscus sylvestris</i>
Floating primrose-willow	<i>Ludwigia peploides</i>	Cinquefoil, sulfur	<i>Potentilla recta</i>
Flowering rush	<i>Butomus umbellatus</i>	Daisy, oxeye	<i>Leucanthemum vulgare</i>
Four o'clock, wild	<i>Mirabilis nyctaginea</i>	Elodea, Brazilian	<i>Egeria densa</i>
Goatsrue	<i>Galega officinalis</i>	Fanwort	<i>Cabomba caroliniana</i>
Hawkweed, European	<i>Hieracium sabaudum</i>	Fennel, common	<i>Foeniculum vulgare</i>
Hawkweed, yellow devil	<i>Hieracium floribundum</i>	Fieldcress, Austrian	<i>Rorripa austriaca</i>
Hogweed, giant	<i>Heracleum mantegazzianum</i>	Floating heart, yellow	<i>Nymphoides peltata</i>
Hydrilla	<i>Hydrilla verticillata</i>	Gorse	<i>Ulex europaeus</i>
Johnsongrass	<i>Sorghum halepense</i>	Hawkweed, mouseear	<i>Hieracium pilosella</i>
Knapweed, bighead	<i>Centaurea macrocephala</i>	Hawkweed, orange	<i>Hieracium aurantiacum</i>
Knapweed, Vochin	<i>Centaurea nigrescens</i>	Hawkweed, polar	<i>Hieracium atratum</i>
Kudzu	<i>Pueraria montana</i>	Hawkweed, queendevil	<i>Hieracium glomeratum</i>
Mustard, garlic	<i>Alliaria petiolata</i>	Hawkweed, smooth	<i>Hieracium laevigatum</i>
Nightshade, silverleaf	<i>Solanum elaeagnifolium</i>	Hawkweed, yellow	<i>Hieracium caespitosum</i>
Reed sweetgrass	<i>Glyceria maxima</i>	Helmet, policeman's	<i>Impatiens glandulifera</i>
Ricefield bulrush	<i>Schoenoplectus mucronatus</i>	Herb-Robert	<i>Geranium robertianum</i>
Sage, clary	<i>Salvia sclarea</i>	Houndstongue	<i>Cynoglossum officinale</i>
Sage, Mediterranean	<i>Salvia aethiopsis</i>	Indigobush	<i>Amorpha fruticosa</i>
Shiny geranium	<i>Geranium lucidum</i>	Knapweed, black	<i>Centaurea nigra</i>
Spurge, eggleaf	<i>Euphorbia oblongata</i>	Knapweed, brown	<i>Centaurea jacea</i>
Starthistle, purple	<i>Centaurea calcitrapa</i>	Knapweed, diffuse	<i>Centaurea diffusa</i>
Thistle, Italian	<i>Carduus pycnocephalus</i>	Knapweed, meadow	<i>Centaurea pratensis</i>
Thistle, milk	<i>Silybum marianum</i>	Knapweed, Russian	<i>Acroptilon repens</i>
Thistle, slenderflower	<i>Carduus tenuiflorus</i>	Knapweed, spotted	<i>Centaurea stoebe</i>
Variable-leaf milfoil	<i>Myriophyllum heterophyllum</i>	Knotweed, Bohemian	<i>Polygonum bohemicum</i>
Velvetleaf	<i>Abutilon theophrasti</i>	Knotweed, giant	<i>Polygonum sachalinense</i>
Woad, dyers	<i>Isatis tinctoria</i>	Knotweed, Himalayan	<i>Polygonum polystachyum</i>
<b>CLASS C NOXIOUS WEEDS</b>		Knotweed, Japanese	<i>Polygonum cuspidatum</i>
Archangel, yellow	<i>Lamium galeobdolon</i>	Kochia	<i>Kochia scoparia</i>
Babysbreath	<i>Gypsophila paniculata</i>	Laurel, spurge	<i>Daphne laureola</i>
Bindweed, field	<i>Convolvulus arvensis</i>	Lawnweed	<i>Soliva sessilis</i>
Cockle, white	<i>Silene latifolia</i>	Lepyrödiclis	<i>Lepyrödiclis holosteoides</i>
Cocklebur, spiny	<i>Xanthium spinosum</i>	Loosestrife, garden	<i>Lysimachia vulgaris</i>
Cress, hoary	<i>Cardaria draba</i>	Loosestrife, purple	<i>Lythrum salicaria</i>
Dodder	<i>Cuscuta approximata</i>	Loosestrife, wand	<i>Lythrum virgatum</i>
Goatgrass, jointed	<i>Aegilops cylindrica</i>	Nutsedge, yellow	<i>Cyperus esculentus</i>
Groundsel, common	<i>Senecio vulgaris</i>	Oxtongue hawkweed	<i>Picris hieracioides</i>
Hawkweed, common	<i>Hieracium lachenalii</i>	Parrotfeather	<i>Myriophyllum aquaticum</i>
Hawkweed, non-native	<i>Hieracium spp.</i>	Pepperweed, perennial	<i>Lepidium latifolium</i>
Henbane, black	<i>Hyoscyamus niger</i>	Poison hemlock	<i>Conium maculatum</i>
Iris, yellow flag	<i>Iris pseudacorus</i>	Primrose, water	<i>Ludwigia hexapetala</i>
Mayweed, scentless	<i>Matricaria perforata</i>	Puncturevine	<i>Tribulus terrestris</i>
Old man's beard	<i>Clematis vitalba</i>	Ragwort, tansy	<i>Senecio jacobaea</i>
Spikeweed	<i>Hemizonia pungens</i>	Reed, common, non-native	<i>Phragmites australis</i>
St. Johnswort, common	<i>Hypericum perforatum</i>	Saltcedar	<i>Tamarix ramosissima</i>
Tansy, common	<i>Tanacetum vulgare</i>	Sandbur, longspine	<i>Cenchrus longispinus</i>
Thistle, bull	<i>Cirsium vulgare</i>	Skeletonweed, rush	<i>Chondrilla juncea</i>
Thistle, Canada	<i>Cirsium arvense</i>	Sowthistle, perennial	<i>Sonchus arvensis</i>
Toadflax, yellow	<i>Linaria vulgaris</i>	Spurge, leafy	<i>Euphorbia esula</i>
Water lily, fragrant	<i>Nymphaea odorata</i>	Spurge, myrtle	<i>Euphorbia myrsinites L.</i>
Whiteweed, hairy	<i>Cardaria pubescens</i>	Starthistle, yellow	<i>Centaurea solstitialis</i>
Willow-herb, hairy	<i>Epilobium hirsutum</i>	Swainsonpea	<i>Sphaerophysa salsula</i>
Wormwood, absinth	<i>Artemisia absinthium</i>	Thistle, musk	<i>Carduus nutans</i>
Highlight indicates known presence in Kittitas County If you are aware of the presence of any noxious weeds that are not highlighted in this list, please contact the Kittitas County Weed Board		Thistle, plumeless	<i>Carduus acanthoides</i>
		Thistle, Scotch	<i>Onopordum acanthium</i>
		Toadflax, Dalmatian	<i>Linaria dalmatica</i>
		Watermilfoil, Eurasian	<i>Myriophyllum spicatum</i>

**The Noxious Weed List of Kittitas County (RCW 17.10.090) is comprised of all Class A and Class B noxious weeds described in the 2009 Washington State Noxious Weed List (WAC 16-750) and the Class C weeds above**