Jeff Watson

From: Jeff Watson

Sent: Tuesday, December 03, 2013 1:40 PM

To: 'Dave Nelson'
Subject: RE: BLA - CLERF

OK I see what's up; the names didn't match... I was thinking Marchel was something else.

Jeffrey A. Watson

Planner II

Kittitas County Public Works/Community Development Services

411 North Ruby

Ellensburg WA 98926

jeff.watson@co.kittitas.wa.us

509-933-8274

From: Dave Nelson [mailto:dnelson@encompasses.net]

Sent: Tuesday, December 03, 2013 9:47 AM

To: Jeff Watson

Subject: RE: BLA - CLERF

Good morning Jeff,

I included a copy of the recorded survey. Is that OK or do you need something else? Would you like a small copy of the survey?

David P. Nelson, P.L.S.

DPNelson@EncompassES.net

Encompass Engineering & Surveying

Together With

Baima & Holmberg

Western Washington Division | 165 NE Juniper Street, Suite 201 | Issaquah, WA 98027 | Phone: (425) 392-0250 | Fax: (425) 391-

Eastern Washington Division | 108 East 2nd Street | Cle Elum, WA 98922 | Phone: (509) 674-7433 | Fax: (509) 674-7419

Encompass Engineering & Surveying, its officers or agents shall not be responsible for the accuracy or completeness of electronic file copies.

Due to the potential that information exchanged by electronic media can deteriorate, be damaged, lost or modified, intentionally or otherwise, use of this electronic data by anyone other than Encompass Engineering & Surveying shall be at the sole risk of such user and without liability or legal exposure to Encompass Engineering & Surveying. The recipient is responsible for verifying the accuracy of data against governing hard copy documentation. If there is a discrepancy between the hard copy and the electronic copy, the hard copy will govern. Recipient assumes all risks in the changing or modification of data and revisions or updating of hard copy documents.

From: Jeff Watson [mailto:jeff.watson@co.kittitas.wa.us]

Sent: Tuesday, December 03, 2013 9:31 AM

To: 'Dave Nelson'

Subject: RE: BLA - CLERF

I have this ready to 80, but I need some form of exhibit to indicate the nature of the BLA for the file before I send it out for comment.

Jeffrey A. Watson

Planner II

Kittitas County Public Works/Community Development Services

411 North Rubu

Ellensburg WA 98926

jeff.watson@co.kittitas.wa.us

509-933-8274

From: Jeff Watson

Sent: Monday, December 02, 2013 11:54 AM

To: 'Dave Nelson'

Subject: RE: BLA - CLERF

Pluging in BLAs as we speak... should have it out for comment this afternoon.

Jeffrey A. Watson

Planner II

Kittitas County Public Works/Community Development Services

411 North Ruby

Ellensburg WA 98926

jeff.watson@co.kittitas.wa.us

509-933-8274

From: Dave Nelson [mailto:dnelson@encompasses.net]

Sent: Monday, December 02, 2013 11:57 AM

To: Jeff Watson Subject: BLA - CLERF

Good morning Jeff,

Just checking in on the Clerf BLA that I turned in last week. This is the one that they need in a hurry.

David P. Nelson, P.L.S.

DPNelson@EncompassES.net

Encompass Engineering & Surveying

Together With

Baima & Holmberg

Western Washington Division | 165 NE Juniper Street, Suite 201 | Issaquah, WA 98027 | Phone: (425) 392-0250 | Fax: (425) 391-3055

Eastern Washington Division | 108 East 2nd Street | Cle Elum, WA 98922 | Phone: (509) 674-7433 | Fax: (509) 674-7419

Encompass Engineering & Surveying, its officers or agents shall not be responsible for the accuracy or completeness of electronic file copies.

Due to the potential that information exchanged by electronic media can deteriorate, be damaged, lost or modified, intentionally or otherwise, use of this electronic data by anyone other than Encompass Engineering & Surveying shall be at the sole risk of such user and without liability or legal exposure to Encompass Engineering & Surveying. The recipient is responsible for verifying the accuracy of data against governing hard copy documentation. If there is a discrepancy between the hard copy and the electronic copy, the hard copy will govern. Recipient assumes all risks in the changing or modification of data and revisions or updating of hard copy documents.

message id: 38eb45916c6dcbdac24bb8719d004a14