

From: [Holly Duncan](#)
To: [Dusty Pilkington](#)
Subject: RE: BL-17-00021 Teanaway Ridge
Date: Tuesday, December 12, 2017 10:23:17 AM

Dusty,

When I click on this link it comes up as Galloway BL-17-00024. I have some comments on the BL-17-00024:

1. There is an existing wellhead near the proposed property line between parcels 2B and 2C that is not shown in the Encompass drawing. According to the records I have, the well head not shown looks like it is right next to the proposed property line which is following a fence line. I will need this existing wellhead included in a drawing. The proposed property line has to be at least 50 feet from the existing well.
2. I also need to see the location of the existing drainfield for the house on the proposed parcel 2B. It is also not shown.

I will email to you the drawing I have so you can see what I am looking at that exists. The reason I have this information is that in 2005 I approved a farm exemption for this property and have drawings from that application to verify my concerns with this application.

Thank you,

Holly

From: Dusty Pilkington
Sent: Monday, December 04, 2017 9:58 AM
To: Kelly Bacon; Holly Duncan; Josh Hink; Lucas Huck; Mark Cook; Candie Leader; Justin Turnbull; Sara Folk; Karen Hodges; 'jwiseman@snoqualmiepassfirerescue.org'
Subject: BL-17-00021 Teanaway Ridge

—
Kelly, Hollys, Josh, and other interested parties,

Please review this Boundary Line Adjustment (BLA) application, BL-17-00021 Teanaway Ridge, and submit comments for the decision. Control Click on the hyperlinks below. Comment period for this application ends on **12/19/2017**.

[BL-17-00021 Teanaway Ridge \(County Departments\)](#)
[BL-17-00021 Teanaway Ridge \(Outside County Network\)](#)