

PLANT MATERIAL SPECIFICATIONS:

- 1. PLANTS SHALL BE DERIVED FROM STOCK ACCLIMATED TO WASHINGTON ENVIRONMENTAL CONDITIONS,
- 2. PLANTS SHALL BE AND PROPAGATED STOCK NATIVE TO THE PACIFIC NORTHWEST. 3. PLANTS SHALL BE NORMAL IN PATTERN OF GROWTH, HEALTHY, WELL-BRANCHED AND HAVE ALL LEADERS AND BUDS INTACT. TREES SHALL NOT HAVE SUNSCALDS, DISFIGURING KNOTS, FRESH CUTS OF LIMBS, DAMAGED LEADERS, AND/OR DEFORMED TRUNKS.
- 4. CONTAINERIZED PLANT STOCK SHALL BE GROWN IN A CONTAINER LONG ENOUGH TO DEVELOP A ROOT SYSTEM THAT REACHES THE EDGES OF THE CONTAINER IN WHICH IT HAS GROWN. TREES AND SHRUBS SHALL BE WELL ROOTED AND SHALL HAVE SUFFICIENT ROOT MASS TO HOLD TOGETHER THE SOIL, IN WHICH PLANT IS GROWING, WHEN REMOVED FROM THE POT.

MONITORING PLAN:

PLAN GOALS, OBJECTIVES, AND PERFORMANCE STANDARDS

GOAL #1 - RESTORE/ENHANCE ON-SITE STREAM BUFFER YEAR 1 - 100% SURVIVAL

AS-BUILT

THE WORK SHOWN ON THIS PLAN HAS BEEN COMPLETED.

ANNUAL MONITORING (10 YEARS)

FEASIBLE

MAINTENANCE PLAN:

CONTINGENCY PLAN:

COMPLIANCE MONITORING PERIOD FOR THE ENHANCEMENT WORK.

AME	SIZE/FORM	QTY	
NSIS	4' LIVE STAKE	30	



