

Bradley Gasawski

From: Shane Johnson
Sent: Tuesday, August 6, 2024 3:04 PM
To: Bradley Gasawski
Subject: RE: SP-24-00009 Black - Notice of Application Memo

Hello,

Public Health comments regarding SP-24-00009 Black note that when development is planned on the potential plat, that appropriate setbacks from any surface water sources and any wells should be maintained for any proposed onsite septic systems.

Thank you

From: Bradley Gasawski <bradley.gasawski@co.kittitas.wa.us>
Sent: Tuesday, July 30, 2024 9:08 AM
To: Dan Young <dan.young@co.kittitas.wa.us>; Marvin Douvier (SH) <marvin.douvier.sh@co.kittitas.wa.us>; Kim Dawson <kim.dawson@co.kittitas.wa.us>; adminstaff@kittcom.org; storch@kittcom.org; Julie Kjorsvik <julie.kjorsvik@co.kittitas.wa.us>; Laura Kukes <laura.kukes@co.kittitas.wa.us>; Public Health Inspectors <PublicHealthInspectors@co.kittitas.wa.us>; Lisa Lawrence <lisa.lawrence@co.kittitas.wa.us>; Patti Stacey <patti.stacey@co.kittitas.wa.us>; Kelee Hodges <kelee.hodges.pw@co.kittitas.wa.us>; Candie Leader <candie.leader@co.kittitas.wa.us>; Tate Mahre <tate.mahre@co.kittitas.wa.us>; Jackie Sharp <jackie.sharp@co.kittitas.wa.us>; Samantha Cox <samantha.cox@co.kittitas.wa.us>; Josh Fredrickson <josh.fredrickson@co.kittitas.wa.us>; Cameron Curtis <cameron.curtis@co.kittitas.wa.us>; Jeremy Larson <jeremy.larson@co.kittitas.wa.us>; Steph Mifflin <steph.mifflin@co.kittitas.wa.us>; Haley Mercer <haley.mercer@co.kittitas.wa.us>; Christy Garcia <christine.garcia@co.kittitas.wa.us>; ken.edwards@kittitaspud.com; THastings@snopass.org; sepa@dahp.wa.gov; enviroreview@yakama.com; corrine_camuso@yakama.com; jessica_lally@yakama.com; noah_oliver@yakama.com; casey_barney@yakama.com; kozj@yakamafish-nsn.gov; guy.moura@colvilletribes.com; sam.rushing@colvilletribes.com; connor.armi.hsy@colvilletribes.com; darnell.sam.adm@colvilletribes.com; john.sirois.adm@colvilletribes.com; milton.davis.adm@colvilletribes.com; steve@snoqualmietribe.us; dahp@snoqualmietribe.us; adam@snoqualmietribe.us; russell.mau@doh.wa.gov; brietta.carter@doh.wa.gov; tebu461@ecy.wa.gov; lowh461@ECY.WA.GOV; FormerOrchards@ecy.wa.gov; wendy.neet@ecy.wa.gov; crosepa@ecy.wa.gov; rand461@ECY.WA.GOV; Scott.Downes@dfw.wa.gov; Jennifer.Nelson@dfw.wa.gov; Cassandra.Weekes@dfw.wa.gov; rivers@dnr.wa.gov; luke.warthen@dnr.wa.gov; SEPACENTER@dnr.wa.gov; MARTIN.MAUNEY@dnr.wa.gov; Amanda.Moody@dnr.wa.gov; lhendrix@usbr.gov; ken.graham@parks.wa.gov; kimberly.larned@usda.gov; Deborah.j.knaub@usace.army.mil; Jena.N.Churchill@usace.army.mil; Jacob.Prilucik@wsdot.wa.gov; SCPlanning@wsdot.wa.gov; AviationLandUse@wsdot.wa.gov; CMOlcese@bpa.gov; vlconnell@bpa.gov; rightofway@pse.com; Dylan.Marcus@pse.com; jorgenja@cwu.edu; nelmsk@cwu.edu; brooksideconsulting@gmail.com; tribune@nkctribune.com; terry@nkctribune.com; snutt@kvnews.com; legals@kvnews.com; Kimberly.peacher@navy.mil; Robert.d.bright10.civ@army.mil; mark.a.gradwohl.civ@mail.mil; Rich Elliott <elliott@kvfr.org>; westsideirrigationco@gmail.com; timothy.lawless@dammanschool.org; marsha@dammanschool.org; yusid@ci.ellensburg.wa.us; pubworks@ci.ellensburg.wa.us; comdev@ci.ellensburg.wa.us; energyservices@ci.ellensburg.wa.us; jonesc@ci.ellensburg.wa.us; johnstonj@ci.ellensburg.wa.us
Cc: Jamey Ayling <jamey.ayling@co.kittitas.wa.us>; Bradley Gasawski <bradley.gasawski@co.kittitas.wa.us>; Chace Pedersen <chace.pedersen@co.kittitas.wa.us>; Zach Torrance-Smith <zach.torrancesmith@co.kittitas.wa.us>
Subject: SP-24-00009 Black - Notice of Application Memo

Good Morning,

CDS is requesting comment on the following short plat application: SP-24-00009 Black. Links to the file materials can be found below. The comment period will end **August 12, 2024, at 5pm**. CDS will assume your agency does not wish to provide comment if not received by this date. Please let me know if you have any issues accessing the materials.

Internal Link: [SP-24-00009 Black](#)

External Link: [SP-24-00009 Black](#)

If the links above do not work, please go to the CDS website at:

<https://www.co.kittitas.wa.us/cds/land-use/default.aspx> and navigate to “Short Plats – 2018 and Forward - Preliminary” and then the project file number “SP-24-00009 Black”.

Bradley Gasawski | Planner I

Kittitas County Community Development Services | 411 N. Ruby St; Suite 2 | Ellensburg, WA 98926

Office: 509.962.7539

Email: bradley.gasawski@co.kittitas.wa.us

If this is about a Public Records request, please go to <http://www.co.kittitas.wa.us/request/default.aspx> and fill out a request for public records through the GovQA portal.

The information transmitted by this email is intended only for the person or entity to which it is addressed. This email may contain confidential and/or privileged material. If you are not the intended recipient of this message, be aware that any use, review, retransmission, distribution, or reproduction is strictly prohibited. If you received this in error, please contact the sender immediately and delete the material from all devices.
message id: 38eb45916c6dcdbdac24bb8719d004a14



STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

Central Region Office

1250 West Alder St., Union Gap, WA 98903-0009 • 509-575-2490

August 8, 2024

Bradley Gasawski
Kittitas County Community Development
411 N. Ruby St., Suite 2
Ellensburg, WA 98926

RE: SP-24-00009

Bradley Gasawski:

Thank you for the opportunity to comment on the Notice of Application for the Brown Short Plat. We have reviewed the application and have the following comments.

Water Resources Program

In Washington State, prospective water users must obtain authorization from the Department of Ecology before diverting surface water or withdrawing ground water, with one exception. Ground water withdrawals for a project up to 5,000 gallons per day used for single or group domestic supply, up to 5,000 gallons per day used for industrial purposes, stock watering, and for the irrigation of up to one-half acre of non-commercial lawn and garden are exempt from the permitting process. Water use under the RCW 90.44.050 exemption establishes a water right that is subject to the same privileges, restrictions, laws and regulations as a water right permit or certificate obtained directly from Ecology. If you have any questions or would like to respond to these Water Resources comments, please contact Nathan Longoria at (509) 907-1752 or email at Nathan.Longoria@ecy.wa.gov.

202403250

Sincerely,

A handwritten signature in blue ink that reads "Amber Johnson".

Amber Johnson
SEPA Coordinator, Central Region Office
509-723-5677 | crosepacoordinator@ecy.wa.gov



KITTITAS COUNTY

DEPARTMENT OF PUBLIC WORKS

MEMORANDUM

TO: All Staff
FROM: Public Works Plan Review Team
DATE: August 12, 2024
SUBJECT: SP-24-00009 Black

ACCESS	<ol style="list-style-type: none">1. An approved access permit shall be required from the Kittitas County Department of Public Works prior to creating any new driveway access or altering an existing access.2. Maintenance of driveway approaches shall be the responsibility of the owner whose property they serve. The County will not maintain accesses.3. Any further subdivision or lots to be served by proposed access may result in further access requirements. See Kittitas County Road Standards.4. In addition to the above-mentioned conditions, all applicable Kittitas County Road Standards apply to this proposal. Access is not guaranteed to any existing or created parcel on this application. (JS) <p>OF NOTE: Existing address of 4141 Brown Road to be assigned to parcel 2 upon recording of the short plat.</p>
ENGINEERING	Except as exempted in KCC 14.05.060, no grading or filling upon a site involving more than one hundred (100) cubic yards shall be performed without a grading permit from the County Engineer or Public Works designee (KCC 14.05.050). An application for grading in excess of five hundred (500) cubic yards shall be accompanied by an engineered grading plan (KCC 14.05.080). (CP)
SURVEY	<p>The following review applies to the Prelim Short Plat only. Additional comments may address final submittal.</p> <ol style="list-style-type: none">1. Submittal does not meet the requirements of WAC:332-130-145 Topographic elements on maps.2. Proposed Lot 1 does not appear to meet dimensional requirements per KCC 17.29.090.3. Please show building offsets for the building adjacent to the proposed new boundary, to ensure it meets the 5' setback per KCC 17.29.060. <p>OF NOTE Lot closures were not reviewed as part of this submittal. Given the simplistic nature of the division, lot closures are not required. Title report was reviewed as part of this submittal. Ownership and legal description are fine.</p>

TRANSPORTATION CONCURRENCY	No transportation concurrency requirement for this project. (KAH)
FLOOD	Parcel #718533 is not located in a FEMA identified special flood hazard area (100-year floodplain). A floodplain development permit is not required for the project. (SC)
WATER MITIGATION/ METERING	<p>The following comments outline the requirements for legal availability of water and metering for the proposed short plat:</p> <p>The applicant must provide legal water availability for all new uses on the proposed lots of this project, which can be provided through mitigation certificates. Prior to final plat approval and recording, the following conditions shall be met:</p> <p>In accordance with KCC Chapter 13.35.027, the applicant shall provide one of the following documents before final plat approval:</p> <ol style="list-style-type: none"> 1. A letter from a water purveyor stating that the purveyor has adequate water rights and will provide the necessary water for the new use; 2. An adequate water right for the proposed new use; or 3. A certificate of water budget neutrality from the Department of Ecology or other adequate interest in water rights from a water bank. <p>All applicants for land divisions shall also submit information on "proximate parcels" held in "common ownership" as those terms are defined in WAC 173-539A-030 and otherwise demonstrate how the proposed new use will not violate RCW 90.44.050 as currently existing or hereafter amended.</p> <p>Failure to obtain mitigation before commencement of an activity requiring mitigation shall be a code violation subject to enforcement under Title 18 KCC.</p> <p>Final Plat Notes The following notes shall be placed on the face of the plat:</p> <p>C-1 "Metering is required for all new uses of domestic water for residential well connections and usage must be recorded in a manner consistent with Kittitas County Code Chapter 13.35.027 and Ecology regulations."</p> <p>C-2 "The approval of this division of land provides no guarantee that use of water under the ground water exemption (RCW 90.44.050) for this plat or any portion thereof will not be subject to curtailment by the Department of Ecology or a court of law." (SC)</p>
AIRPORT	No comments. (JS)

Please contact Kittitas County Public Works (509) 962-7523 with any questions.

Bradley Gasawski

From: Nelson, Jennifer L (DFW) <Jennifer.Nelson@dfw.wa.gov>
Sent: Friday, August 9, 2024 7:22 PM
To: Bradley Gasawski
Cc: Weekes, Cassandra L (DFW)
Subject: RE: SP-24-00009 Black - Notice of Application Memo

CAUTION: This email originated from outside the Kittitas County network. Do not click links, open attachments, fulfill requests, or follow guidance unless you recognize the sender and have verified the content is safe.

Hi Bradley,

WDFW doesn't have many comments about this proposal, but the watercourse along the northern portion of this parcel appears to be an irrigation return. This feature is worth mentioning because of how entrenched it is and that it poses potential erosion concerns in the future. This feature also flows directly to the Yakima River, so ensuring good water quality in this watercourse helps ensure good water quality in the Yakima River and protection of aquatic life in the river. For this reason, we recommend future building setbacks treat this water feature with adequate riparian setbacks of at least 100 feet.

Thank you for the opportunity to comment and please let us know if you have any questions.

Jen

Jennifer Nelson
Washington Department of Fish and Wildlife
Habitat Program
Ellensburg, WA 98926
(509) 961-6639 Mobile

From: Bradley Gasawski <bradley.gasawski@co.kittitas.wa.us>
Sent: Tuesday, July 30, 2024 9:08 AM
To: Dan Young <dan.young@co.kittitas.wa.us>; Marvin Douvier (SH) <marvin.douvier.sh@co.kittitas.wa.us>; Kim Dawson <kim.dawson@co.kittitas.wa.us>; adminstaff@kittcom.org; storch@kittcom.org; Julie Kjorsvik <julie.kjorsvik@co.kittitas.wa.us>; Laura Kukes <laura.kukes@co.kittitas.wa.us>; Public Health Inspectors <PublicHealthInspectors@co.kittitas.wa.us>; Lisa Lawrence <lisa.lawrence@co.kittitas.wa.us>; Patti Stacey <patti.stacey@co.kittitas.wa.us>; Kelee Hodges <kelee.hodges.pw@co.kittitas.wa.us>; Candie Leader <candie.leader@co.kittitas.wa.us>; Tate Mahre <tate.mahre@co.kittitas.wa.us>; Jackie Sharp <jackie.sharp@co.kittitas.wa.us>; Cox, Samantha (DOHi) <samantha.cox@co.kittitas.wa.us>; Josh Fredrickson <josh.fredrickson@co.kittitas.wa.us>; Cameron Curtis <cameron.curtis@co.kittitas.wa.us>; Jeremy Larson <jeremy.larson@co.kittitas.wa.us>; Steph Mifflin <steph.mifflin@co.kittitas.wa.us>; Haley Mercer <haley.mercer@co.kittitas.wa.us>; Christy Garcia <christine.garcia@co.kittitas.wa.us>; ken.edwards@kittitaspud.com; Tom Hastings <thastings@snopass.org>; DAHP SEPA <sepa@dahp.wa.gov>; enviroreview@yakama.com; corrine_camuso@yakama.com; jessica_lally@yakama.com; noah_oliver@yakama.com; casey_barney@yakama.com;

Jeff Kozma <kozj@yakamafish-nsn.gov>; guy.moura@colvilletribes.com; sam.rushing@colvilletribes.com; connor.armi.hsy@colvilletribes.com; darnell.sam.adm@colvilletribes.com; john.sirois.adm@colvilletribes.com; milton.davis.adm@colvilletribes.com; steve@snoqualmietribe.us; dahp@snoqualmietribe.us; adam@snoqualmietribe.us; Mau, Russell E (DOH) <Russell.Mau@DOH.WA.GOV>; Carter, Brietta J (DOH) <brietta.carter@doh.wa.gov>; Petropoulos, Terra (ECY) <tebu461@ECY.WA.GOV>; White, Lori (ECY) <lowh461@ECY.WA.GOV>; ECY RE Former Orchards <formerorchards@ECY.WA.GOV>; Neet, Wendy (ECY) <wnee461@ECY.WA.GOV>; ECY RE CRO SEPA Coordinator <crosepa@ecy.wa.gov>; Anderson, Ryan (ECY) <rand461@ECY.WA.GOV>; Downes, Scott G (DFW) <Scott.Downes@dfw.wa.gov>; Nelson, Jennifer L (DFW) <Jennifer.Nelson@dfw.wa.gov>; Weekes, Cassandra L (DFW) <Cassandra.Weekes@dfw.wa.gov>; DNR RE AQ LEASING RIVERS <DNRREAQLEASINGRIVERS@dnr.wa.gov>; Warthen, Luke (DNR) <Luke.Warthen@dnr.wa.gov>; DNR RE SEPACENTER <SEPACENTER@dnr.wa.gov>; MAUNEY, MARTY (DNR) <MARTIN.MAUNEY@dnr.wa.gov>; Moody, Amanda (DNR) <Amanda.Moody@dnr.wa.gov>; lhendrix@usbr.gov; Graham, Ken (PARKS) <Ken.Graham@PARKS.WA.GOV>; kimberly.larned@usda.gov; Deborah.j.knaub@usace.army.mil; Jenae.N.Churchill@usace.army.mil; Prilucik, Jacob <jacob.prilucik@wsdot.wa.gov>; SCPlanning@wsdot.wa.gov; AviationLandUse@wsdot.wa.gov; CMOlcese@bpa.gov; vlconnell@bpa.gov; rightofway@pse.com; Dylan.Marcus@pse.com; jorgenja@cwu.edu; nelmsk@cwu.edu; brooksideconsulting@gmail.com; tribune@nkctribune.com; terry@nkctribune.com; snutt@kvnews.com; legals@kvnews.com; Kimberly.peacher@navy.mil; Robert.d.bright10.civ@army.mil; mark.a.gradwohl.civ@mail.mil; Rich Elliott <elliott@kvfr.org>; westsideirrigationco@gmail.com; timothy.lawless@dammanschool.org; marsha@dammanschool.org; yusid@ci.ellensburg.wa.us; pubworks@ci.ellensburg.wa.us; comdev@ci.ellensburg.wa.us; energyservices@ci.ellensburg.wa.us; jonesc@ci.ellensburg.wa.us; johnstonj@ci.ellensburg.wa.us
Cc: Jamey Ayling <jamey.ayling@co.kittitas.wa.us>; Bradley Gasawski <bradley.gasawski@co.kittitas.wa.us>; Chace Pedersen <chace.pedersen@co.kittitas.wa.us>; Zach Torrance-Smith <zach.torrancesmith@co.kittitas.wa.us>
Subject: SP-24-00009 Black - Notice of Application Memo

External Email

Good Morning,

CDS is requesting comment on the following short plat application: SP-24-00009 Black. Links to the file materials can be found below. The comment period will end **August 12, 2024, at 5pm**. CDS will assume your agency does not wish to provide comment if not received by this date. Please let me know if you have any issues accessing the materials.

Internal Link: [SP-24-00009 Black](#)

External Link: [SP-24-00009 Black](#)

If the links above do not work, please go to the CDS website at:

<https://www.co.kittitas.wa.us/cds/land-use/default.aspx> and navigate to "Short Plats – 2018 and Forward - Preliminary" and then the project file number "SP-24-00009 Black".

Bradley Gasawski | Planner I

Kittitas County Community Development Services | 411 N. Ruby St; Suite 2 | Ellensburg, WA 98926

Office: 509.962.7539

Email: bradley.gasawski@co.kittitas.wa.us

If this is about a Public Records request, please go to <http://www.co.kittitas.wa.us/request/default.aspx> and fill out a request for public records through the GovQA portal.

The information transmitted by this email is intended only for the person or entity to which it is addressed. This email may contain confidential and/or privileged material. If you are not the intended recipient of this message, be aware that any use, review, retransmission, distribution, or reproduction is strictly prohibited. If you received this in error, please contact the sender immediately and delete the material from all devices.
message id: 38eb45916c6dcbdac24bb8719d004a14