# BISHOP PROJECT WETLAND REPORT

## THIS REPORT HAS BEEN PREPARED BY:

## WETLANDS ENVIRONMENTAL, Inc.

17709 69th Avenue West Edmonds, WA 98026 206.743.1849

13360 SE 26th Street Bellevue, WA 98005 206.746.2156

## **OWNERS:**

Bill and Kathy Bishop 7525 Renton - Issaquah Road SE Issaquah, WA 98027 206.392.7948

## **ENGINEERS:**

Eastside Consultants, Inc. 415 Rainier Blvd. North Issaquah, WA 98027 206.392.5351

## TABLE OF CONTENTS

Introduction

1.

| 2.  | Site Description                          |                    |
|-----|---|--------------------|
|     | A. Site Description                       |                    |
|     | B. Site History and Current Lar           | nd Use             |
|     | C. Topography                             |                    |
|     | D. National Wetland Inventory             | and DNR Stream Map |
| 3.  | Methodology                               |                    |
| 4.  | Results of Wetland Analysis               |                    |
|     | A. Soils                                  |                    |
|     | B. Vegetation                             |                    |
|     | C. Hydrology and Water Qualit             | $\mathbf{y}$       |
|     | D. Wetland Functions and Valu             | es                 |
|     | E. Offsite Wetlands                       |                    |
| 5.  | Proposed Activity                         |                    |
|     | A. Proposed Activity                      |                    |
| 6.  | Criteria for Wetland Delineation          |                    |
| 7.  | Selection of Delineation Methodology      |                    |
| 8.  | Wildlife                                  |                    |
| 9.  | Conclusions                               |                    |
| 10. | Limitations                               |                    |
| 11. | Washington State Wetlands Flora Checklist |                    |
| 12  | Literature Reviewed                       |                    |
| 13  | Blueprint(s)see original package          |                    |

saturated and drained as a result of seasonal fluctuations in the water table. Soil types can be identified by comparison of a soil sample to the Munsell Soil Color Chart, (SCS, 1988). These standardized charts identify the color components of hue, value and chroma. Hue is the main spectral color, value is the degree of lightness and chroma indicates color strength of purity. Chromas of two (2) or less are considered LOW and often indicate hydric soil conditions.

Wetland hydrology is the primary force in the creation of wetland areas and is defined as permanent or periodic inundation, or soil saturation for a significant portion of the growing season. Wetland hydrology creates anaerobic conditions in the soil, favoring the development of hydric soil indicators and proliferation of hydrophytic vegetation. Where wetland hydrology changes throughout the year, hydrologic indicators are used to define the hydrology criterion. These indicators may include visual observation of soil saturation within soil test holes, root rhizospheres, water marks, drift lines, sediment and deposition and surface scour.

#### 7. SELECTION OF WETLAND DELINEATION

After reviewing the USGS topographic quadrangle map of the project area, an "on-site determination method" was selected to be used. Prior to and after initially visiting the site, a review of published information was undertaken to evaluate the potential presence of wetlands. (See Literature Reviewed)

#### 8. WILDLIFE

Wildlife is a product of habitat or vegetational stages and basically there are four stages: 1) dominate vegetation consisting primarily of grasses and forbes, 2) dominate vegetation consisting of shrub species, 3) dominate vegetation is second-growth coniferous or deciduous tree species, and 4) dominate vegetation is comprised of mature old-growth timber or dense stands of second-growth that forms a closed canopy. Each vegetational stage will support a variety of wildlife species. Generally stages 2 and 3 will support a higher and more diverse wildlife community.

The property in question falls into vegetational stage I and supports an array of wildlife species. Following is a partial list of wildlife species (as classified by the Washington Administrative Code) that may inhabit the property during some portion of the year from a very brief transitory basis (i.e. to enter and exit the property within a few minutes, such as a bird passing through en-route to other habitat) to some species that might inhabit the property for an extended period of time. (NOTE: \* indicates introduced species.)

## I. Game Birds

- a) Band-tailed Pigeon (Columba fasciata)
- b) Ruffed Grouse (Bonansa umbellus)
- c) Blue Grouse (*Dendragapus obscurus*)

## II. Predatory Birds

- a) Common Crow (Corvus brachyrhynchos)
- b) Common Raven (*Corvus corax*)
- c) \* English/House Sparrow (Passer domesticus)
- d) \* English Starling (Sturnus vulgaris)

## III. Game Animals

- a) Black-tailed Deer (Odocoileus hemionus columbianus)
- b) Mule Deer (Odocoileus hemionus hemionus)
- c) \*Rocky Mountain Elk (*Cervus elaphus*)
- d) Black Bear (*Ursus Americanus*)
- e) Snowshoe/Varying Hare (Lepus americanus)

## IV. Furbearing Animals

- a) Long-tailed Weasel (Mustela frenata)
- b) Mink (Mustela vison)
- c) Muskrat (Ondatra zibethicus)
- d) Raccoon (*Procyon lotor*)
- e) River Otter (*Lutra canadensis*)

## V. Protected Wildlife

- a) A variety of forest-associated songbirds
- b) Chipmunk (*Entamias sp.*)
- c) Douglas Squirrel (Tamiasciurus dowglasii)
- d) Red-tailed Hawk (Buteo jamaicensis)
- e) Sharp-shinned Hawk (Accipter striatus)
- f) Northern Goshawk (Accipter gentilis)
- g) Osprey (Pandion haliaetus)
- h) Great-horned Owl (*Bubo virginianus*)
- i) Belted Kingfisher (Ceryle alcyon)
- j) Pileated Woodpecker (*Dryocopus pileatus*)

## VI. Other Wildlife

- a) Coyote (Canis latrans)
- b) Mountain beaver (Aplodonita rufa)
- c) \* Virginia opossum (*Didelphis virginiana*)
- e) A variety of amphibians, reptiles, and slugs/snails

#### 9. CONCLUSIONS AND RECOMMENDATIONS

## Impact of Development

Less than 4 percent of the 50 acres will be disturbed. Any foot trails developed will have natural surface. It is in the opinion of Wetlands Environmental, Inc. that the Bishop Project will have minimal impact on the overall ecosystem of the property.

## Impact on Down-Slope Wetlands/Sensitive Areas

There is no development down-slope for eight (8) to ten (10) miles to the town of Easton. The septic system for the building(s) will be designed according to standard procedures for installation on property such as this site.

## Suggested Management/Development Considerations

As stated elsewhere in this report, as much of the property's habitat as possible will remain intact; re-forestation where necessary will be accomplished on impacted areas; fisheries habitat in the Yakima River will be enhanced; and, no additional road or building expansion is anticipated. As previously stated, every effort to minimize impact on the environment and enhance it will be accomplished.

#### 10. LIMITATIONS AND USE OF THIS REPORT

This report is based largely upon two days of field survey on the site Plus an additional day with the Yakima Indian Tribe fisheries biologist), in addition to necessary literature reviews. Site conditions will vary seasonally. The results and conclusions of this report represent the professional opinion of biologists of Wetlands Environmental, Inc.

This report is based on readily observable conditions to locate existing wetlands on the subject site as part of preliminary planning process, as required by Kittitas County.

Douglas A. Bellingham Wetlands Environmental, Inc.

July 17, 1996

## RE: Wetland Delineation on Bishop Property.. Cabin Creek.. Kittitas County, WA

#### LOCATION:

The Bishop Property is located two (2) miles from the I-90 Cabin Creek Exit, directly across from the Cabin Creek U-Fish RV Park.

Legal: Parcel B, a portion of the S 1/2 of Section 36, T21N, R12E, W.M., in the County of Kittitas, State of Washington.

#### 1. INTRODUCTION

Wetlands are transitional areas in the landscape that occur between upland and aquatic environments where the water table is at or near the land surface. These areas are valued for several functions, including high quality wildlife habitat, contributions to fisheries, inorganic and organic pollution control, flood water control, and recreation and educational value. Each wetland is unique, with varying values for the different functions. In order to protect water quality in the U.S., Congress enacted the Clean Water Act to "maintain and restore chemical, physical and biological integrity of the waters of the U.S.".

This report is prepared to meet the requirements of Kittitas County Land Use Division, Ellensburg, WA.

The property in question was evaluated for the presence and quality of wetlands using standard accepted procedures and all available data bases.

#### 2. SITE DESCRIPTION

#### A. Site Description

The property lies adjacent to the Yakima River, is second growth forest, with seasonal streams, with aquifer emanating from ponds located on the site and from the Yakima River during normal periods of controlled irrigation release of Lake Keechelus.

## B. Site History and Current Land Use

The site was previously logged in the 1920's and 1930's, and within the last 10 years. It is now forested second growth. It is zoned Commercial Forest, but this property and adjacent property is used as forest recreation.

## C. Topography

The property is relatively flat at approximately 2,495 feet in elevation.

#### 3. METHODOLOGY

The Bishop property was investigated in May and June of 1995. Wetland delineation techniques as per the <u>Federal Manual for Identifying and Delineating Jurisdictional Wetlands</u>, (January 1969), were utilized. Eastside Consultants, Issaquah, subsequently surveyed the wetlands.

The three technical criteria for delineating a wetland include the parameters of, hydric soils, hydrophytic vegetation and hydrology. These three criteria must be present in order for an area to be classified as a wetland. The method chosen to make a wetland determination depends upon the complexity of the site and the impact of the determination.

Routine on-site methodology was used to evaluate the status of wetlands on this property. The routine method is designed for the evaluation of areas equal to or less than five acres in size, or larger areas with homogenous vegetation and/or a clear wetland/upland boundary.

The wetlands can be classified as a Palustrine Emergent, Year-round Saturated.

#### 4. RESULTS OF WETLAND ANALYSIS

#### A. Soils

N/A--See Health Department report.

#### **B.** Vegetation

Please see the attached appendix for complete list of vegetation.

## C. Hydrology and Water Quality

Most of the water on the property flows southeast. The water quality is high, due to absence of any development within two (2) or more miles in the watershed up-slope from the property. Other than the proposed access road, natural trails and building site, no additional site disturbance is planned.

## D. Wetlands Functions and Values

This site would have a high classification of functions and values due to the large size of the property and its year-round wetlands and seasonal streams. The Bishop Project is making a minimal impact on the wetlands functions and values, because of the small acreage (less than 4%) of road area and building site.

#### E. Offsite Wetlands

Directly across Cabin Creek Road (also known as U-Fish Road) from the property is the U-Fish Trout Pond and RV complex. Up-slope and down-slope are similar wetlands and seasonal streams. The Yakima River lies adjacent to the property.

## F. Recommended Wetland/Stream Category

The majority of the wetlands would be considered Class I, due to their year-round existence and high quality. The seasonal streams would be considered Class II. Wetlands Environmental, Inc. has delineated wetlands adjacent to the proposed road access and were surveyed by Eastside Consultants (see blueprint).

#### 5. PROPOSED ACTIVITY

## A. Proposed Activity

- 1. A retreat lodge (1 building) and garage/barn (1 building) is planned on less than two (2) acres of the property, including road access.
- 2. Road access to the building is addressed by three (3) alternatives:
  - Alternative A. Road to the building site along the route as surveyed by Eastside Consultants, as specified by Bishop and shown in the blueprint/road profile (see enclosed).
    - 1) Installation of:
      - --One (1) 24" culvert at the beginning of the north portion of the property...the first crossing.
      - -- Two (2) 36" culverts...the second crossing.
      - --Two (2) 36' culverts...the third crossing to maintain seasonal stream overflow from the Yakima River onto the property and its wetlands...the third crossing.
      - --One (1) 24" culvert to be located at the building site..the fourth crossing.

#### Alternative B.

- 1) In place of the two (2) 36" culverts at the third crossing, a railroad flat car is proposed as a bridge to provide minimal, if any impact on stream flow in this area.
- 2) A portion of the existing road be utilized, which goes around the west end of the "new pond" (see blueprint), and would have even less impact to the surrounding habitat, due to its present existence.

#### Alternative C.

1) It was original proposed that an easement be requested across a small portion of U.S. Forest land, but this has been denied, so this is not a feasible alternative.

It is the opinion of Wetlands Environmental that Alternative B offers the better solution for access.

- 4. As per request of the Bureau of Indian Affairs Yakima Tribal local fisheries biologist, feasible trees cut will be placed in the Yakima River to enhance fish habitat. This will be accomplished with direction of local fisheries biologists.
- 5. Re-vegetation with natural flora will be accomplished, as necessary, with direction and supervision from Department of Fish and Wildlife biologists.

#### 6. CRITERIA FOR WETLAND DELINEATION

Presently accepted wetland identification is based on three mandatory criteria established in the <u>Federal Interagency Committee</u> for <u>Wetland Delineation</u> (1989), FICWD; the federal manual for identifying and delineating jurisdictional wetlands.

These criteria include;

- ... a predominance of hydrophytic vegetation,
- ... the presence of hydric soils, and
- ... evidence of wetland hydrology.

A predominance of hydrophytic vegetation is defined by determining a plant species' frequency of occurrence. Plants growing within a wetland area (hydrophytic vegetation) have adapted to living in permanently or periodically inundated or saturated soils. The majority of plants growing in wetland areas possess physiological mechanisms that allow for productive growth, even during prolonged periods of anaerobic soil conditions. Wetland plants indicator status has been designated by the US Fish and Wildlife Service (Reed, 1988). The hydrophytic vegetation criteria is determined when more than 50 percent of the dominant vegetation is considered hydrophytic according to the indicator status.

Hydric soils are soils that have been developed under set site conditions. Hydric soils can be either organic or mineral in origin. Because of long-term wetness, hydric soils usually develop certain morphological features that can be observed in the field at any time of year. These features include organic horizons, gleying and low matrix chromas, with or without mottling. Gleyea soil colors are predominantly neutral gray to greenish or bluish gray. This gleyed nature is an indication that prolonged soil saturation has converted soil minerals to their reduced forms and anaerobic conditions. These reduced minerals are then removed from the soil by water movement. Mottles are blotches of different colors interspersed with the dominant matrix color. Mottles occur when soils are alternately

## WASHINGTON STATE WETLANDS FLORA CHECKLIST

JOB NUMBER

04/06/95

CLIENT

Bill and Kathy Bishop

DATE OF SURVEY

May and June, 1995

BY

Douglas A. Bellingham

#### **PLANTS**

\* Introduced Species

## Key To: National List of Plants that Occur in Wetlands

NA = No Agreement: Regional panel not able to agree.

NO = Not Occur: Does not occur in this region, but occurs in another region.

NI = No Indicator: Insufficient information to determine indicator status.

OBL = Obligate Wetland: Occur almost always (99%) under natural conditions.

FACW = Facultative Wetland: Usually occur in wetlands (67-99%), but occasionally found in non-wetlands.

FAC = Facultative: Equally likely to occur in wetlands or nonwetlands (34-66%).

FACU = Facultative Upland: Usually occur in nonwetlands (67-99%), but occasionally found in wetlands (1-33%).

UPL = Obligate Upland: Occur in wetlands in another region, but occur almost always (99%) under natural conditions in nonwetlands in the region specified (Region 9 .. WA. & OR)

[nl] = Species not listed in the register. Scientific name verified with <u>Vascular Plants of the Pacific Northwest</u>. Hitchcock, et al., the definitive five volume treatise on Northwest plants.

(Species) in parenthesis with wetlands listing and <u>no common name</u> indicate Hitchcock does not list it, but that the National Wetlands List does.

Flower species are not categorized, however all are wetland associated in varying degrees.

# TREES (Canopy Layer)

| Alder, black                        | Alnus glutinosa (NO)                  |
|-------------------------------------|---------------------------------------|
| Alder, red                          | Alnus ruba (FAC)                      |
| Alder, Sitka                        | Alnus sinuata (FACW)                  |
| Ash, Oregon                         | Fraxinus latifolia/oregona (FACW)     |
| Aspen, bigtooth                     | Populus grandidentata (NO)            |
| Aspen, quaking/trembling            | Populus tremuloides/tremula (FAC+)    |
| Birch, western white                | Betula papyrifera commutata (FACÚ)    |
| Birch, western low                  | Betula papyrifera glandulifera FACU)  |
| Birch, northwestern white           | Betula papyrifera subcordata (FACU)   |
| Cascara                             | Rhamnus purshiana (NI)                |
| Cottonwood, northern black          | Populus trichocarpa/balsamifera (FAC) |
| Crabapple, Pacific                  | Malus diversifolia [nl]               |
| Crasappro, r acmo                   | Malus fusca (FACW)                    |
| Crabapple, Western                  | Pyrus fusca [nl]                      |
| Cedar, western red                  | Thuja plicata (FAC)                   |
| Cedar, western red                  | Chamaecyparis nootkatensis (FAC)      |
| Cherry, bitter                      | Prunus emarginata [nl]                |
| Dogwood, Pacific                    | Cornus nuttallii [nl]                 |
| Dogwood (no common name/Hitch.)     | Cornus canadensis (FAC-)              |
| Dogwood (no common name/inten.)     | Cornus glabrata (FACW)                |
| Elder, box                          | Acer negundo (FAC+)                   |
| Fir, Douglas                        | Pseudotsuga mensiesii/taxifolia [nl]  |
| Fir, grand                          | Abies grandis [nl]                    |
| Fir, Pacific silver                 | Abies amabilis (FACU)                 |
| Hawthorn, black                     | Crataegus douglasii (FAC)             |
| Hemlock, western                    | Tsuga heterophylla (FACU-)            |
| Larch, western                      | Larix occidentalis (FACU+)            |
| Madrone/Arbutus                     | Arbutus menziesii [nl]                |
| Maple, broadleaf/bigleaf            | Acer macrophyllum (FACU)              |
| Maple, Douglas                      | Acer glabrum douglasii (FAC)          |
| Maple, vine                         | Acer circinatum (FACU+)               |
| Oak, Garry                          | Quercus garryana [nl]                 |
| Pine, lodgepole                     | Pinus contorta latifolia (FAC-)       |
| Pine, ponderosa/western yellow      | Pinus ponderosa (FACU-)               |
| Pine, western white                 | Pinus monticola (FACU)                |
| Spruce, Sitka                       | Picea stchensis (FAC)                 |
| Willow, Pacific/western black/black | Salix lasiandra (FACW+)               |
| Yew, western                        | Taxus brevifolia (FACU-)              |
| Walnut, black                       | Juglans nigra (NO)                    |
| vv amuu, mack                       | ougrans mgra (110)                    |

# VINES (Shrub Layer)

| Blackberry, evergreen (white-purple)       | Rubus laciniatus (FACU+)         |
|--|----------------------------------|
| Blackberry, Himalayan (white)              | Rubus discolor (FACU-)           |
| Blackberry, trailing (white)               | Rubus vitifolius (NI)            |
| Cucumber, wild (white)                     | Micrampelis oregana [nl]         |
| Honeysuckle, purple (purple-red)           | Lonicera hispidula [nl]          |
| Ivy, poison (white berries)                | Rhus radicans rydlbergii [nl]    |
| Morning glory (blue)                       | Convolvulus spp. [nl]            |
|  |                                  |
| SHRUBS (Shrub/Sub-                         | Canopy Layer)                    |
| Azalea, false (copper)                     | Menziesia ferruginea (FACU+)     |
| Bamboo, false*                             | Polygonum sachalinese (NI)       |
| Box, false/myrtle leaf (geeenish or red)   | Pachystima myrsinites [nl]       |
| Broom, Scotch/Scots* (yellow)              | Cytisus scoparius [nl]           |
| Ceanothus, redstem (white)                 | Ceanothus sanguineus (NI)        |
| Cranberry (pink)                           | Vaccinium oxycoccus intermedium  |
| Cranberry, high bush (white)               | Viburnum trilobum (FAC+)         |
| Currant                                    | Ribes bracteosum (FAC)           |
| Current                                    | Ribes hudsonianum (OBL)          |
| Current, red flower (red)                  | Ribes sanquineum [nl]            |
| Currant, stink/blue (blue)                 | Ribes bracteosum (FAC)           |
| Devil's club (white/red berries)           | Opopanax horridus (FAC)          |
| <u>√</u> Dogwood, red osier (white)        | Cornus stolonifera (FACW)        |
| Elderberry, blue (cream)                   | Sambucus glauca [nl]             |
| Elderberry, red (yellowish-white)          | Sambucus callicarpa [nl]         |
| Gale, sweet (greenish catkins)             | Myrica gale (OBL)                |
| Goat's beard (white, brown seeds)          | Aruncus sylvester [nl]           |
|  | Aruncus dioicus (FACU+)          |
| Gooseberry, common/wild (greenish)         | Ribes divaricatum (NI)           |
| Gooseberry, gummy (whitish)                | Ribes lobbii [nl]                |
| Gooseberry, swamp (whitish)                | Ribes lacustre (FAC+)            |
| <u>√</u> Hardhack/Douglas spirea (pinkish) | Spiraea douglasii (FACW)         |
| Hazelnut/hazel (yellow catlkins)           | Corylus cornuta californica [nl] |
| Honeysuckle, Oregon/orange (orange)        | Lonicera ciliosa [nl]            |
| Honeysuckle, purple (purplish-red)         | Lonicera hispidula [nl]          |
| Honeysuckle (no common name/Hitch.)        | Lonicera caerulea (FAC+)         |
| Honeysuckle (no common name/Hitch)         | Lonicera conjugialis (FAC)       |
| Honeysuckle (no common name/Hitch)         | Lonicera involucrata (FAC)       |
| Huckleberry, evergreen (pink-white)        | Vaccinium ovatum [nl]            |
| Huckleberry, dwarf (pinkish)               | Vaccinium caespitosum [nl]       |
| Huckleberry, red (red berries)             | Vaccinium parvifolium [nl]       |
| <u>√</u> Huckleberry, tall blue (pinkish)  | Vaccinium ovalifolium (UPL)      |

| Huckleberry, dwarf                   | Vaccinium cespitosum (FACU)     |  |
|--------------------------------------|---------------------------------|--|
| Huckleberry/Common cranberry*        | Vaccinium macroparpon (OBL)     |  |
| Huckleberry, mountain                | Vaccinium membranaceum (FACU+)  |  |
| Huckleberry, western                 | Vaccinium occidentale (FAC+)    |  |
| Huckleberry/Wild cranberry           | Vaccinium oxycoccos (OBL)       |  |
| Huckleberry/Grouseberry/Whortleberry | Vaccinium scoparium (FACU-)     |  |
| Huckleberry/Bog blueberry            | Vaccinium uliginosum (FACW+)    |  |
| Kinnikinnick/bearberry pinkish)      | Arctostaphylos uva-ursi (FACU-) |  |
| Laurel                               | Kalmia microphylla FACW+)       |  |
| Laurel, swamp (rose)                 | Kalmia polifolia (OBL)          |  |
| Mahonia/Oregon grape (yellow)        | Mahonia nervosa                 |  |
| Mahonia/Tall Oregon grape (yellow)   | Mahoniaaquifolium               |  |
| Manzanita, hairy (white)             | Arctostaphylos columbiana [nl]  |  |
| ✓Mock orange (white)                 | Philadelphus gordonianus [nl]   |  |
| ✓Ninebark (white)                    | Physocarpus capitatus (FAC+)    |  |
| Oak, poison (greenish white berries) | Rhus diversiloba                |  |
| <b>√</b> Oceanspray                  | Holodisus discolor [nl]         |  |
| Raspberry, black/black cap           | Rubus leucodermis               |  |
| Rhododendron, red (pink purple)      | Rhododendron macrophyllum [nl]  |  |
| Rose, common wild (deep rose)        | Rosa nutkana                    |  |
| Rose, dwarf (deep rose)              | Rosa gymnocarpa                 |  |
| Rose, swamp (deep rose)              | Rosa pisocarpa                  |  |
| ✓Salal (pink white)                  | Gaultheria shallon [nl]         |  |
| <u>√</u> Salmonberry (red)           | Rubus spectabilis (FAC)         |  |
| ✓Snowberry, creeping/Maidenhairberry | Gaultheria hispidula (FACW)     |  |
| Tea, Labrador (white)                | Ledum groenlandicum (OBL)       |  |
| Tea, Trapper's                       | Ledum var. glandulosum (FAC+)   |  |
| Ţea                                  | Ledum var. columbianum (OBL)    |  |
| <u>✓</u> Thimbleberry (white)        | Rubus parviflorus               |  |
| Twinberry, black (yellow twin)       | Lonicera involucrata (FAC)      |  |
| Twin flower (pink twin)              | Linnaea borealis FACU-)         |  |
| Wintergreen, alpine/matted           | Gaultheria humifusa (FAC+)      |  |
| Wintergreen, Oregon/slender          | Gaultheria ovatifolia ((FAC)    |  |
|                                      |                                 |  |
| GRASSES / CLOVERS                    | (Ford Layer)                    |  |
| Fescue                               | Festuca spp. (FAC and FACU)     |  |
| Fescue, alta                         | Festuca altaica (UPL)           |  |
| Clover, alside                       | Trifolium hybridum (FACU+)      |  |
| Grass                                | Elymus spp. (FAC/FACU/FACW)     |  |
| Grass                                | Eriophorum spp. (OBL)           |  |
| Clover, red                          | Trifolium pratense (FACU)       |  |
| Grass, barnyard                      | Echinchloa crusgalli (FACW)     |  |
| Grass, bent                          | Agrostis tenuis [nl]            |  |

| Grass, cotton                                  | Eriorphorum chamissonis (OBL)              |  |
|--|--|--|
| <u></u> ✓ Grass, orchard                       | Dactylis glomerata (FAU)                   |  |
| Grass, perenial rye/Wild rye/Rye grass         | Elymus hirsutus [nl]                       |  |
| ☐Grass, Reed canary                            | Phalaris arundinacea(FACW)                 |  |
| <u>√</u> Grass, velvet                         | Holcus lanatus (FAC)                       |  |
| Timothy  | Phleum prateuse (FACU)                     |  |
| FERNS/HERBACEOUS (SI                           | hrub / Forb Layer)                         |  |
| Fern, bracken                                  | Pteridium aquilinum pubescens (FACU)       |  |
| Fern, deer                                     | Struthioperis spicant [nl]                 |  |
| Fern, holly                                    | Polystichum lonchitis (FACU)               |  |
| Fern, lady                                     | Athyrium felix-femina (FAC)                |  |
| Fern, maidenhair                               | Adiatum pedatum aleuticum (FAC)            |  |
| Fern, sword                                    | Polystichum munitum [nl]                   |  |
| _∟Skunk Cabbage                                | Lystichum americanum (OBL)                 |  |
| Triple Sugarscoop                              | Tiarella trifoliata (FAC)                  |  |
| PERMANENT WATER DEPENDANT (Shrub / Forb Layer) |  |  |
| Bulrush  | Scirpus spp. (OBL)                         |  |
| Bulrush, river                                 | Scirpus fluviatilis (OBL)                  |  |
| Bulrush, soft-stemmed                          | Scirpus validus/actus (OBL)                |  |
| Buttercup                                      | Ranunculus spp. (OBL/all other indicators) |  |
| Buttercup, watercrowfoot (yellow)              | Ranunculus aquatilis (OBL)                 |  |
| Cattail  | Typha spp. (OBL)                           |  |
| Cattail, narrow-leaved                         | Typha angustifolia (OBL)                   |  |
| Cattail, wide-leaved                           | Typha latifolia (OBL)                      |  |
| Duckweed                                       | Lemna spp. (OBL)                           |  |
| Hemlock, water                                 | Cicuta bulbifera (OBL)                     |  |
| Hemlock, water (white)                         | Cicuta douglasii/occidentalis (OBL)        |  |
| Iris   | Iris missouriensis (FACW+)                 |  |
| Iris, yellow water flag/Fleur de Lis*          | Iris pseudacorus (OBL)                     |  |
| Milfoil*                                       | Myriophyllum spp. (OBL)                    |  |
| Parsnip*                                       | Sium suave (OBL)                           |  |
| Parsnip, common*                               | Pastinaca sativa [nl]                      |  |
| Parsnip, water* (white)                        | Sium cicutaefolium [nl]                    |  |
| Plantain, water (white)                        | Alisma plantago-aquatica (OBL)             |  |
| Rushes   | Janicus spp. (OBL/all other indicators)    |  |
| Sedge, slough                                  | Carex obnupta (OBL)                        |  |
| Sedges   | Carex spp. (OBL/all other indicators)      |  |
| Smartweed/Water smartweed/Doorweed             | Polygonum amphibium (OBL)                  |  |
| Smartweed                                      | Polygonum sp. (OBL/all other indicators)   |  |
| Watercress*                                    | Nasturtium officinale (OBL)                |  |

| Waterlilyily, yellow pond (yellow) | Nymphaea polysepala [nl] |
|------------------------------------|--------------------------|
| Waterlily                          | Nymphaea spp. (OBL)      |
| Water shield/Water target          | Brasenia schreberi (OBL) |

# FLOWERS (Forb Layer)

# (White color)

| Alumroot, small flower         | Heuchera micrantha              |
|--------------------------------|---------------------------------|
| Anemone, three-leaved          | Anemone deltoides [nl           |
| Anemone, western               | Anemone occidentalis [nl]       |
| Baneberry                      | Actaea arguta [nl]              |
| Buckbean                       | Menyanthes trifoliata           |
| Bugbane, false                 | Trautvetteria grandis           |
| Bunchberry/Pigeon berry        | Cornus canadensis               |
| Chamomile, field               | Anthemis arvensis               |
| Coltsfoot                      | Pietasites frigidus             |
| Daisy, oxeye                   | Chrysanthemum leucanthemum      |
| Fairy bells, Oregon            | Disporum oregonum               |
| Fennel, dog*                   | Anthemis cotula                 |
| Foam flower                    | Tiarella unifoliata             |
| Gorse                          | Ulex europaeus                  |
| Hawkweed, white                | Hieracium gracile               |
| Indian pipe                    | Monotropa uniflora              |
| Ladies' tresses                | Spiranthes romanzoffiana        |
| Lady's slipper                 | Cypripedium sp.                 |
| ∠Lily, Easter                  | Erythronium oregonum            |
| Lily-of-the-valley, false/wild | Maianthemum unifolium dilatatum |
| Miner's lettuce                | Claytonia perfoliata            |
| Miner's lettuce, Siberian      | Claytonia sibirica              |
| Orchid, white bog              | Habenaria dilatata              |
| Osoberry                       | Oemleria circinatum             |
| 2 Oxalis, Oregon               | Oxalis oregana                  |
| Parsnip, cow                   | Heracleum lanatum               |
| Pearly everlasting             | Anaphalis margaritacea          |
| Plantain, buckhorn             | Plantago macrocarpa             |
| Plantain, rattlesnake          | Peramium decipiens              |
| Plantain, rippleseed           | Plantago major                  |
| Pussytoes, white               | Antennaria spp.                 |
| Saxifrage                      | Saxifraga integrifolia          |
| Silver-green/Path finder       | Adenocaulon bicolor             |
| Solomon's seal, false          | Smilacina amplexicaulis         |
| Solomon's seal, star-flowered  | Smilacina stellata              |
| Snowberry                      | Symphoricarpos albus            |

| Spatterdock                              | Nuphar luteum             |
|--|---------------------------|
| Strawberry, wild                         | Fraggaria spp.            |
| Sundew                                   | Drosera spp.              |
| <u>✓</u> Trillium, western/Wake robin    | Trillium ovatum           |
| Twisted stalk                            | Streptopus amplexifolius  |
| ✓Vinalla leaf/May leaves                 | Achlys triphylla          |
| Waxberry                                 | Symphoricarpos albus      |
| Yarrow                                   | Achillea millefolium      |
| Yerba buena                              | Satureja douglassi        |
| (Pink colorvariat                        | ions are in parenthesis)  |
| Bleeding heart                           | Dicentra formosa          |
| Collomia (salmon)                        | Collomia grandiflora      |
| Filaree/Storksbill (pink-purple)         | Erodium circutarium       |
| <u></u> Montia/Miner's lettuce           | Claytonia parviflora      |
| Onion, nodding (pink-purple)             | Allium ceruum             |
| Pipsissewa/Princes' pine (white to pink) | Chimaphila umbellata      |
| Sea blush                                | Valeriannella congesta    |
| Star flower                              | Trientalis latifolia      |
| Star flower, upland                      | Trientalis arctica        |
| ✓ Shooting star, few-flowered (purplish) | Dodecatheon pauciflorum)  |
| (Red colorvariati                        | ions are in parenthesis)  |
| Columbine/Western columbine              | Aquilegia formosa         |
| Indian paintbrush/Painted cup            | Castilleja augustifolia   |
| Indian paintbrush, minature              | Castilleja miniata        |
| Lily, wild tiger (orange and red also)   | Lilium parviflorum        |
| Satin flower/Grass widows                | Sisyrinchium grandiflorum |
| Sorrel, sheep (reddish pink)             | Rumex crispus             |
| (Yellowvariatio                          | ns are in parenthesis)    |
| Avens, large-leaved                      | Geum macrophyllum         |
| Balsamroot, northwest                    | Balsamorhiza deltoidea    |
| Butter and Eggs* (orange "nose")         | Linaria vulgaris          |
| Buttercup, Bongard's                     | Ranunculus bongardi       |
| Buttercup, creeping                      | Ranunculus repens         |
| <u></u> ✓Buttercup, western              | Ranunculus occidentalis   |
| Camas, death (yellowish-white)           | Zigadenus venenosus       |
| Cinquefoil, marsh                        | Potentilla palustris      |
| Goatweed/Klamath weed                    | Hypericum perforatum      |
| Goldenrod                                | Soliadago elongata        |

| Groundsel, common  Hairy cat's ear  Herb, yellow willow (pale yellow)  Monkey flower, yellow  Mullein, great  Musk flower  Ragwort (orange-yellow  Skunk cabbage  | Senecio vulgaris Hypochaeris radicata Epilobium luteum Mimulus langsdorfii Verbascum thapus Mimulus moschatus Senecio spp. Lysichiton kamtschatcense  |  |
|---|---|--|
| Spring gold/Hog fennelSunflower, woollySt. Johnswort, commonStonecropTansy/Tansy ragwort/Common tansy*Violet, trailing yellow (brown veins)Violet, yellow (brown veins)   | Lomatium utriculatum Eriophyllum lanatum Hypericum perforatum Sedum spp. Tanacetum vulgare Viola sempervirens Viola glabella  |  |
|   | ons in parenthesis)   |  |
| Anemone, blueBlue-eyed MaryBlue sailors (light blueBrodiaea, bicolored/Bicolored cluster lilyBrodiaea (blue-purple)Brooklime, American/SpreadwellCamas (Purplish-blue)Delphinium/Larkspur (dark blue)Gentian, northernIris, blueJacob's ladder, blue/Blue skunkleafLarkspur, low (blue-purplish)Larkspur, pale (lt. blue or violet-purple)Lupines (light blue or purple)Lungwort, westernSelf-heal/Heal-all (blue-purple)Synthyris, round-leaved (light purple)Violet, blueViolet, blue swamp | Anemone orefgana Collinsia parviflora Cichorium intybus Brodiaea bicolor Brodiaea coronaria Veronica americana Camassia quamash/leichtlinnii Delphinium menziesii Gentiana acuta/amarella Iris virginicum [nl] Polemonium humile Delphinium bicolor Delphinium glaucum Lupinus spp. Mertensia platyphylla Prunella vulgaris Synthyris reniformis Viola adunca Viola palustris |  |
| (Purplevariations in parenthesis)   |   |  |
| Aster, DouglasBroom-rape, naked/One-flowered cancer:VBurdock, common/DockVColtsfoot/Butterbur (purplish-white)  | Aster douglasii<br>root Orobanche uniflora<br>Arctium minus<br>Petasites speciosa   |  |

| Coral root (reddish-purple)  | Corallorhiza spp.             |  |
|--|-------------------------------|--|
| $\underline{\hspace{0.1cm}}^{\hspace{0.1cm}}$ Foxglove (white, pinkish)      | Digitalis purpurea            |  |
| Ginger, wild   | Asarum caudatum               |  |
| Ground-cone (purplish)   | Boschniakia strobiliacea      |  |
| Lady's slipper, false/Calypso orchid (pink                                   | purple) Calypso bulbosa       |  |
| Meadow rue (purplish/male, greenish/female Thalictrum occidentale            |                               |  |
| Mint, Canada (pale purple)   | Mentha canadensis             |  |
| <u></u> ✓Nettle, hedge   | Stachys ciliata               |  |
| Nightshade, bittersweet*   | Solanum dulcamara             |  |
| Penstemon, Cascade   | Penstemon serrulatus/diffusus |  |
| Penstemon, woodland  | Penstemon nemorosus           |  |
| Phacella (mauve)   | Phacelia linearis             |  |
| Purple pea   | Lathyrus nuttallii            |  |
| Thistle, common/pasture (red-purple)   | Cirsium lanceolatum           |  |
| Thistle, Indian/Edible (reddish-purple)                                      | Cirsium edule                 |  |
| <u></u> ✓Trillium, long-stemmed  | Trillium petiolatum           |  |
| Vouth-On-Age/Pig-a-back (greenish w/purple lines) Tolmiea menziesii          |                               |  |
|  |                               |  |
| (Brown-Greenvariations are in parenthesis)                                   |                               |  |
| $ \underline{\nu}$ Dock, curled  | Rumex crispus                 |  |
| Hellebore, Indian/Green/False (greenish-yellow) Veratrum eschocholtzii/virid |                               |  |
| Horsetail, common  | Equisetum arvense             |  |
| Pigweed/Lamb's Quarters/Goosefoot (greenish) Chenopodium sp.                 |                               |  |
| Lily chocolate/Rice root   | Fritillaria lanceolata        |  |
| Nettle, stinging (greenish)  | Urtica lyallii                |  |
| Sorrel, sheep  | Rumex acetosella              |  |
|  |                               |  |

#### LITERATURE REVIEWED

### Reference

- Adamus, Clairain, Smith, and Young 1987. Wetland Evaluation

  <u>Techniques, Volume I and II.</u> Department of the Army, Waterways

  Experiment Station, Vicksburg, MI.
- Blueprint. October, 1995 Client--Bishop. Eastside Consultants, Issaquah, WA.
- Brown, E.R. 1985. Management of Fish and Wildlife Habitats in Forests of Western Oregon and Washington. USDA Forest Service, Pacific Northwest Region, Portland, OR. 2 volumes.
- Brown, George W. and James T. Krygier. 1967. <u>Changing Water</u>
  <u>Temperatures in Small Mountain Streams</u>. J. Soil and Water
  Conserv. 22(6):242-244.
- Collins, Henry Hill, Jr. 1959 <u>Complete Field Guide to American Wildlife:</u>
  <u>East, Central and North</u>. Harper & Row, New York. 659pp.
- Cowardin, L.M. et al. 1979. <u>Classification of Wetlands and Deepwater Habitats of the United States</u>. US Fish and Wildlife Service, US Department of the Interior. (FWS/OBS 79/31).
- Dahl, T.E. and C.E. Johnson. 1991. <u>Status and Trends of Wetlands in the Conterminous United States, Mid-1970's to Mid-1980's</u>. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 28pp.
- Dahl, T.E. 1990. Wetland Losses in the United States, 1970's to 1980's. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. 13pp.
- Deusen, Millard S., and Paul W. Adams. 1989. <u>Riparian Areas; Fish and Wildlife Havens</u>. Woodland Fish and Wildlife. World Forestry Center, 4033 SW Canyon Road, Portland, OR. 97221. 8pp.

- Federal Interagency Committee for Wetland Delineation. 1989. Federal manual for identifying and delineating jurisdictional wetlands. U.S. Army Corps of Engineers, U.S. Environmental Protection Agency, U.S. Fish and Wildlife Service, and U.S.D.A. Soil Conservation Service, Washington, D.C. Cooperative technical publication. 76 pp. plus appendices.
- Franklin, Jerry F., and C.T. Dryness. 1973. <u>Natural Vegetation of Oregon and Washington</u>. USDA For. Serv. Gen Tech. Rep. PNW-8. Pac. Northwest For. and Range Exp. Stn., Portland, OR. 417pp.
- Hitchcock, C. L., Cronquist, A., Ownbey, M., Thompson, J.W., 1964 and 1991. <u>Vascular Plants of the Pacific Northwest</u>. University of Washington Press, Seattle, WA. Volumes 1 through 5.
- Juelson, Thomas C., Dr. 1989. Unpublished paper. <u>Suggestions for</u>
  <u>Stream Bank Revegetation in Western Washington</u>. City of Bellevue, Main Street, Bellevue, WA.
- Kollmorgen Corporation. 1975. <u>Munsell Soil Color Charts</u>. Macbeth Division of Kollmorgen Corporation, Baltimore, MD.
- Lang, Allen E. Project Engineer/P.L.S. June, 1996, <u>Pers. Comm.</u> Eastside Consultants, Issaquah, WA.
- Lyons, C. P. 1967. <u>Trees, Shrubs and Flowers to Know in Washington</u>. J. M. Dent & Sons, Limited, Toronto, Canada. 197pp.
- Hammer, Donald A. 1992. <u>Creating Freshwater Wetlands</u>. Lewis Publishers, 121 South Main Street, Chelsea, MI 48118. 256pp. plus appendices.
- Mueller-Dombois, D. and H. Ellenburg. 1974. Aims and Methods of Vegetative Ecology. John Wiley and Sons, New York, NY. 547pp.
- National List of Plant Species That Occur in Wetlands. 1988 National Summary. 1988. U.S. Department of the Interior, Fish and Wildlife Service. Biological Report 88(24). Washington, D.C. 245pp.
- Oakley, A.L. et al. 1985. <u>Riparian Zones and Freshwater Wetlands.</u> pp 57-80. E.R. Brown (ed). Management of Wildlife and Fish Habitats in Forests of Western Oregon and Washington. Volums 1 and 2. U.S. Fish and Wildlife Service, Portland, OR.

- Ransom, Jay Ellis. 1981. <u>Harper & Row's Complete Field Guide to North American Wildlife, Western Edition</u>. Harper & Row, New York. 761pp. plus indices.
- Reed, P. B. and Jr. 1988. <u>National List of Plant Species that Occur in Wetlands</u>. 1988. Northwest Biological Report 88. U.S. Fish and Wildlife Service, Inland Freshwater Ecology Section, St. Petersburg, FL.
- Reppert, Sigleo, Stakhiv, Messman, and Myers 1979. Wetland Values-<u>Concepts and Methods for Wetland Evaluation.</u> Research Report 79-R1, US Army Corps of Engineers, Institute for Water Resources, Fort Belvoir, VI.
- Stebbins, R.C. 1966. A Field Guide to Western Reptiles and Amphibians. Houghton Mifflin Company. Boston, MA.
- Stream Inventory Handbook, Region 6, Version 5. 1990. U.S. Department of Agriculture, U.S. Forest Service, Region 6, Portland, OR.
- <u>Streamside Revegetation Enhancement Criteria</u>. 1989. City of Bellevue Storm and Surface Water Utility, Main Street, Bellevue, WA..
- U.S Department of Argiculture, Soil Conservation Service. 1985. <u>Hydric</u> Soils of the United States.
- U.S. Geological Survey Topographic Quadrangle. 1989. Stampede Pass, WA. 7.5 minute series.
- Washington State Hydric Soils List. 1990 (updated). U. S. Department of Agriculture, Soil Conservation Service, in cooperation with Washington Agriculture Experiment Station.
- <u>Wildlife Management Techniques Manual</u>. Fourth Edition: Revised. 1980. The Wildlife Society, Washington, D.C. 551pp. plus appendices.